



PIX

Power Transmission Solutions

Driving growth!

PIX-Muscle[®]-XS3

High-power, Maintenance-free Wrap Belts



pixtrans



pixtrans



pixtrans



pixtrans



pixtrans

www.pixtrans.com




PIX-Muscle® -XS3

High-power, Maintenance-free Wrap Belts

PIX-Muscle-XS3® are High-power rated, maintenance-free, eco-friendly Belts. They are manufactured to comply with the latest REACH directives and RoHS regulations.

The revolutionary design of the Belt compound does not emit any toxic substances, either during manufacture or when running, also performs well in the adverse conditions such as elevated temperature zones, UV or ozone exposure and chemically aggressive environments.

Construction



1. High wear-resistant outer jacketing, offers higher gripping strength
2. Maintenance-free, low-stretch, premium polyester cords prevent elongation in the Belt
3. Fibre-filled base compound for increased transverse rigidity

Features

- › Extremely high power rating - up to 50% more than standard Belts
- › High efficiency up to 98%
- › Special cord for maintenance-free operation
- › Extended service life & less machine down-time
- › Anti-static complies with ISO 1813
- › Superior oil & heat resistance
- › REACH & RoHS compliant provides an eco-friendly system
- › Extended temperature range -25°C to +100°C

Product range

Section	Top Width (mm)	Thickness (mm)	Angle (Degree)	Manufacturing Range		Length Designation
				Min.	Max.	
MF3-SPZ	10.0	8.0	40	479mm	4000mm	Lp
MF3-SPA	13.0	10.0	40	576mm	9113mm	Lp
MF3-SPB	17.0	14.0	40	1000mm	23580mm	Lp
MF3-SPC	22.0	18.0	40	1861mm	23654mm	Lp
MF3-3V	9.7	8.0	40	19.5"	160"	La
MF3-5V	15.8	13.5	40	48"	929"	La
MF3-8V	25.4	23.0	40	100"	934"	La

PIX-Muscle® -HXS3

High-power, Maintenance-free Banded Wrap Belts




Product range

Section	Top Width (mm)	Thickness (mm)	Angle (Degree)	Pitch (mm)	Manufacturing Range		Length Designation
					Min.	Max.	
MF3-HSPZ	10.0	10.0	40	12.0	1180mm	9080mm	Lp
MF3-HSPA	13.0	12.0	40	15.0	959mm	4439mm	Lp
MF3-HSPB	17.0	17.0	40	19.0	1762mm	10060mm	Lp
MF3-HSPC	22.0	22.5	40	25.5	1632mm	23527mm	Lp
MF3-H3V	9.7	10.5	40	10.3	35"	239"	La
MF3-H5V	15.8	16.5	40	17.5	50"	923"	La
MF3-H8V	25.4	25.0	40	28.6	100"	928"	La

Applications

Hot rolling mills, power plants, heat exchanger, compressors, vacuum pumps, grinders, kilns, blenders, paper and pulp industry, etc.


Test Results



PIX-Muscle® -XS3

High-power, Maintenance-free Wrap Belts

Test Results



Cost savings

Application:

Blower runs 12 hours / day

Power: 250kW

Motor: 1440 RPM

Driver pulley pitch diameter: 315mm

Driven pulley pitch diameter: 1250mm

C-to-C distance: 1388mm

Design output:

Regular SPC 5390, total 10 Belts are required

Now, PIX-Muscle®-XS3: SPC 5390, only

7 Belts are required

Cost benefit analysis:

Space savings: 26% approx.

Weight savings: 11% approx.

Drive cost savings: Up to 14% approx.

Conclusion:

Less no. of Belts + Lower width pulleys + space savings = Higher profit

Product range



SPZ		SPZ		SPZ		SPZ	
Product Code	Pitch Length	Product Code	Pitch Length	Product Code	Pitch Length	Product Code	Pitch Length
MF3-SPZ 479	479	MF3-SPZ 675	675	MF3-SPZ 775	775	MF3-SPZ 875	875
MF3-SPZ 495	495	MF3-SPZ 680	680	MF3-SPZ 780	780	MF3-SPZ 880	880
MF3-SPZ 500	500	MF3-SPZ 685	685	MF3-SPZ 785	785	MF3-SPZ 885	885
MF3-SPZ 510	510	MF3-SPZ 695	695	MF3-SPZ 790	790	MF3-SPZ 890	890
MF3-SPZ 520	520	MF3-SPZ 700	700	MF3-SPZ 795	795	MF3-SPZ 900	900
MF3-SPZ 530	530	MF3-SPZ 710	710	MF3-SPZ 800	800	MF3-SPZ 910	910
MF3-SPZ 550	550	MF3-SPZ 720	720	MF3-SPZ 810	810	MF3-SPZ 915	915
MF3-SPZ 560	560	MF3-SPZ 725	725	MF3-SPZ 820	820	MF3-SPZ 920	920
MF3-SPZ 570	570	MF3-SPZ 730	730	MF3-SPZ 825	825	MF3-SPZ 925	925
MF3-SPZ 580	580	MF3-SPZ 735	735	MF3-SPZ 830	830	MF3-SPZ 930	930
MF3-SPZ 590	590	MF3-SPZ 740	740	MF3-SPZ 835	835	MF3-SPZ 935	935
MF3-SPZ 600	600	MF3-SPZ 745	745	MF3-SPZ 840	840	MF3-SPZ 940	940
MF3-SPZ 620	620	MF3-SPZ 750	750	MF3-SPZ 845	845	MF3-SPZ 945	945
MF3-SPZ 630	630	MF3-SPZ 755	755	MF3-SPZ 850	850	MF3-SPZ 950	950
MF3-SPZ 640	640	MF3-SPZ 760	760	MF3-SPZ 855	855	MF3-SPZ 955	955
MF3-SPZ 645	645	MF3-SPZ 762	762	MF3-SPZ 860	860	MF3-SPZ 960	960
MF3-SPZ 650	650	MF3-SPZ 765	765	MF3-SPZ 865	865	MF3-SPZ 965	965
MF3-SPZ 660	660	MF3-SPZ 770	770	MF3-SPZ 870	870	MF3-SPZ 970	970

Product range



SPZ		SPZ		SPZ		SPZ	
Product Code	Pitch Length	Product Code	Pitch Length	Product Code	Pitch Length	Product Code	Pitch Length
MF3-SPZ 975	975	MF3-SPZ 1263	1263	MF3-SPZ 1660	1660	MF3-SPZ 2160	2160
MF3-SPZ 980	980	MF3-SPZ 1270	1270	MF3-SPZ 1670	1670	MF3-SPZ 2170	2170
MF3-SPZ 990	990	MF3-SPZ 1280	1280	MF3-SPZ 1675	1675	MF3-SPZ 2175	2175
MF3-SPZ 995	995	MF3-SPZ 1285	1285	MF3-SPZ 1680	1680	MF3-SPZ 2200	2200
MF3-SPZ 1000	1000	MF3-SPZ 1290	1290	MF3-SPZ 1700	1700	MF3-SPZ 2220	2220
MF3-SPZ 1010	1010	MF3-SPZ 1300	1300	MF3-SPZ 1705	1705	MF3-SPZ 2230	2230
MF3-SPZ 1015	1015	MF3-SPZ 1315	1315	MF3-SPZ 1706	1706	MF3-SPZ 2240	2240
MF3-SPZ 1020	1020	MF3-SPZ 1320	1320	MF3-SPZ 1710	1710	MF3-SPZ 2250	2250
MF3-SPZ 1025	1025	MF3-SPZ 1325	1325	MF3-SPZ 1720	1720	MF3-SPZ 2260	2260
MF3-SPZ 1030	1030	MF3-SPZ 1330	1330	MF3-SPZ 1725	1725	MF3-SPZ 2270	2270
MF3-SPZ 1035	1035	MF3-SPZ 1335	1335	MF3-SPZ 1730	1730	MF3-SPZ 2300	2300
MF3-SPZ 1040	1040	MF3-SPZ 1340	1340	MF3-SPZ 1745	1745	MF3-SPZ 2306	2306
MF3-SPZ 1045	1045	MF3-SPZ 1345	1345	MF3-SPZ 1750	1750	MF3-SPZ 2310	2310
MF3-SPZ 1050	1050	MF3-SPZ 1360	1360	MF3-SPZ 1775	1775	MF3-SPZ 2320	2320
MF3-SPZ 1052	1052	MF3-SPZ 1365	1365	MF3-SPZ 1780	1780	MF3-SPZ 2325	2325
MF3-SPZ 1055	1055	MF3-SPZ 1370	1370	MF3-SPZ 1800	1800	MF3-SPZ 2330	2330
MF3-SPZ 1070	1070	MF3-SPZ 1375	1375	MF3-SPZ 1820	1820	MF3-SPZ 2340	2340
MF3-SPZ 1075	1075	MF3-SPZ 1380	1380	MF3-SPZ 1825	1825	MF3-SPZ 2345	2345
MF3-SPZ 1080	1080	MF3-SPZ 1400	1400	MF3-SPZ 1830	1830	MF3-SPZ 2350	2350
MF3-SPZ 1090	1090	MF3-SPZ 1410	1410	MF3-SPZ 1845	1845	MF3-SPZ 2360	2360
MF3-SPZ 1095	1095	MF3-SPZ 1425	1425	MF3-SPZ 1850	1850	MF3-SPZ 2400	2400
MF3-SPZ 1100	1100	MF3-SPZ 1430	1430	MF3-SPZ 1870	1870	MF3-SPZ 2410	2410
MF3-SPZ 1105	1105	MF3-SPZ 1440	1440	MF3-SPZ 1875	1875	MF3-SPZ 2420	2420
MF3-SPZ 1110	1110	MF3-SPZ 1450	1450	MF3-SPZ 1880	1880	MF3-SPZ 2430	2430
MF3-SPZ 1120	1120	MF3-SPZ 1460	1460	MF3-SPZ 1890	1890	MF3-SPZ 2440	2440
MF3-SPZ 1125	1125	MF3-SPZ 1470	1470	MF3-SPZ 1900	1900	MF3-SPZ 2485	2485
MF3-SPZ 1130	1130	MF3-SPZ 1475	1475	MF3-SPZ 1920	1920	MF3-SPZ 2500	2500
MF3-SPZ 1135	1135	MF3-SPZ 1480	1480	MF3-SPZ 1925	1925	MF3-SPZ 2530	2530
MF3-SPZ 1140	1140	MF3-SPZ 1485	1485	MF3-SPZ 1930	1930	MF3-SPZ 2540	2540
MF3-SPZ 1145	1145	MF3-SPZ 1500	1500	MF3-SPZ 1975	1975	MF3-SPZ 2550	2550
MF3-SPZ 1155	1155	MF3-SPZ 1520	1520	MF3-SPZ 1980	1980	MF3-SPZ 2600	2600
MF3-SPZ 1160	1160	MF3-SPZ 1525	1525	MF3-SPZ 2000	2000	MF3-SPZ 2650	2650
MF3-SPZ 1165	1165	MF3-SPZ 1535	1535	MF3-SPZ 2010	2010	MF3-SPZ 2680	2680
MF3-SPZ 1170	1170	MF3-SPZ 1540	1540	MF3-SPZ 2020	2020	MF3-SPZ 2690	2690
MF3-SPZ 1175	1175	MF3-SPZ 1545	1545	MF3-SPZ 2025	2025	MF3-SPZ 2700	2700
MF3-SPZ 1180	1180	MF3-SPZ 1550	1550	MF3-SPZ 2030	2030	MF3-SPZ 2720	2720
MF3-SPZ 1185	1185	MF3-SPZ 1560	1560	MF3-SPZ 2040	2040	MF3-SPZ 2760	2760
MF3-SPZ 1200	1200	MF3-SPZ 1570	1570	MF3-SPZ 2050	2050	MF3-SPZ 2800	2800
MF3-SPZ 1210	1210	MF3-SPZ 1575	1575	MF3-SPZ 2075	2075	MF3-SPZ 2840	2840
MF3-SPZ 1215	1215	MF3-SPZ 1580	1580	MF3-SPZ 2080	2080	MF3-SPZ 3700	3700
MF3-SPZ 1220	1220	MF3-SPZ 1590	1590	MF3-SPZ 2090	2090	MF3-SPZ 3960	3960
MF3-SPZ 1225	1225	MF3-SPZ 1600	1600	MF3-SPZ 2100	2100	MF3-SPZ 4000	4000
MF3-SPZ 1230	1230	MF3-SPZ 1610	1610	MF3-SPZ 2120	2120	MF3-SPZ 4025	4025
MF3-SPZ 1235	1235	MF3-SPZ 1620	1620	MF3-SPZ 2125	2125		
MF3-SPZ 1240	1240	MF3-SPZ 1630	1630	MF3-SPZ 2130	2130		
MF3-SPZ 1250	1250	MF3-SPZ 1635	1635	MF3-SPZ 2147	2147		
MF3-SPZ 1260	1260	MF3-SPZ 1650	1650	MF3-SPZ 2150	2150		

Product range



SPA		SPA		SPA		SPA	
Product Code	Pitch Length	Product Code	Pitch Length	Product Code	Pitch Length	Product Code	Pitch Length
MF3-SPA 576	576	MF3-SPA 1340	1340	MF3-SPA 1930	1930	MF3-SPA 2660	2660
MF3-SPA 610	610	MF3-SPA 1345	1345	MF3-SPA 1940	1940	MF3-SPA 2680	2680
MF3-SPA 625	625	MF3-SPA 1346	1346	MF3-SPA 1950	1950	MF3-SPA 2710	2710
MF3-SPA 640	640	MF3-SPA 1348	1348	MF3-SPA 1970	1970	MF3-SPA 2720	2720
MF3-SPA 650	650	MF3-SPA 1350	1350	MF3-SPA 1975	1975	MF3-SPA 2725	2725
MF3-SPA 675	675	MF3-SPA 1355	1355	MF3-SPA 1980	1980	MF3-SPA 2750	2750
MF3-SPA 680	680	MF3-SPA 1360	1360	MF3-SPA 1985	1985	MF3-SPA 2770	2770
MF3-SPA 700	700	MF3-SPA 1370	1370	MF3-SPA 1990	1990	MF3-SPA 2775	2775
MF3-SPA 730	730	MF3-SPA 1375	1375	MF3-SPA 2000	2000	MF3-SPA 2780	2780
MF3-SPA 750	750	MF3-SPA 1380	1380	MF3-SPA 2010	2010	MF3-SPA 2790	2790
MF3-SPA 760	760	MF3-SPA 1390	1390	MF3-SPA 2020	2020	MF3-SPA 2800	2800
MF3-SPA 775	775	jcPJpm^=NQM	1400	MF3-SPA 2050	2050	MF3-SPA 2820	2820
MF3-SPA 800	800	MF3-SPA 1420	1420	MF3-SPA 2060	2060	MF3-SPA 2840	2840
MF3-SPA 820	820	MF3-SPA 1430	1430	MF3-SPA 2065	2065	MF3-SPA 2850	2850
MF3-SPA 825	825	MF3-SPA 1432	1432	MF3-SPA 2080	2080	MF3-SPA 2870	2870
MF3-SPA 830	830	MF3-SPA 1440	1440	MF3-SPA 2100	2100	MF3-SPA 2890	2890
MF3-SPA 835	835	MF3-SPA 1450	1450	MF3-SPA 2110	2110	MF3-SPA 2900	2900
MF3-SPA 840	840	MF3-SPA 1452	1452	MF3-SPA 2120	2120	MF3-SPA 2920	2920
MF3-SPA 850	850	MF3-SPA 1460	1460	MF3-SPA 2125	2125	MF3-SPA 2950	2950
MF3-SPA 865	865	MF3-SPA 1475	1475	MF3-SPA 2130	2130	MF3-SPA 3000	3000
MF3-SPA 885	885	MF3-SPA 1480	1480	MF3-SPA 2140	2140	MF3-SPA 3050	3050
MF3-SPA 890	890	MF3-SPA 1500	1500	MF3-SPA 2150	2150	MF3-SPA 3070	3070
MF3-SPA 900	900	MF3-SPA 1510	1510	MF3-SPA 2160	2160	MF3-SPA 3100	3100
MF3-SPA 900	900	MF3-SPA 1520	1520	MF3-SPA 2170	2170	MF3-SPA 3120	3120
MF3-SPA 920	920	MF3-SPA 1525	1525	MF3-SPA 2180	2180	MF3-SPA 3130	3130
MF3-SPA 930	930	MF3-SPA 1530	1530	MF3-SPA 2190	2190	MF3-SPA 3150	3150
MF3-SPA 940	940	MF3-SPA 1535	1535	MF3-SPA 2200	2200	MF3-SPA 3170	3170
MF3-SPA 950	950	MF3-SPA 1545	1545	MF3-SPA 2210	2210	MF3-SPA 3175	3175
MF3-SPA 970	970	MF3-SPA 1550	1550	MF3-SPA 2220	2220	MF3-SPA 3185	3185
MF3-SPA 1000	1000	MF3-SPA 1560	1560	MF3-SPA 2240	2240	MF3-SPA 3195	3195
MF3-SPA 1025	1025	MF3-SPA 1570	1570	MF3-SPA 2250	2250	MF3-SPA 3200	3200
MF3-SPA 1030	1030	MF3-SPA 1575	1575	MF3-SPA 2255	2255	MF3-SPA 3220	3220
MF3-SPA 1040	1040	MF3-SPA 1580	1580	MF3-SPA 2270	2270	MF3-SPA 3240	3240
MF3-SPA 1050	1050	MF3-SPA 1600	1600	MF3-SPA 2280	2280	MF3-SPA 3250	3250
MF3-SPA 1055	1055	MF3-SPA 1620	1620	MF3-SPA 2290	2290	MF3-SPA 3260	3260
MF3-SPA 1060	1060	MF3-SPA 1625	1625	MF3-SPA 2300	2300	MF3-SPA 3280	3280
MF3-SPA 1070	1070	MF3-SPA 1630	1630	MF3-SPA 2310	2310	MF3-SPA 3300	3300
MF3-SPA 1080	1080	MF3-SPA 1645	1645	MF3-SPA 2320	2320	MF3-SPA 3330	3330
MF3-SPA 1100	1100	MF3-SPA 1650	1650	MF3-SPA 2325	2325	MF3-SPA 3350	3350
MF3-SPA 1120	1120	MF3-SPA 1660	1660	MF3-SPA 2330	2330	MF3-SPA 3360	3360
MF3-SPA 1125	1125	MF3-SPA 1670	1670	MF3-SPA 2340	2340	MF3-SPA 3400	3400
MF3-SPA 1130	1130	MF3-SPA 1675	1675	MF3-SPA 2350	2350	MF3-SPA 3450	3450
MF3-SPA 1140	1140	MF3-SPA 1690	1690	MF3-SPA 2360	2360	MF3-SPA 3500	3500
MF3-SPA 1150	1150	MF3-SPA 1700	1700	MF3-SPA 2370	2370	MF3-SPA 3540	3540
MF3-SPA 1160	1160	MF3-SPA 1710	1710	MF3-SPA 2380	2380	MF3-SPA 3550	3550
MF3-SPA 1170	1170	MF3-SPA 1720	1720	MF3-SPA 2400	2400	MF3-SPA 3625	3625
MF3-SPA 1175	1175	MF3-SPA 1725	1725	MF3-SPA 2410	2410	MF3-SPA 3650	3650
MF3-SPA 1200	1200	MF3-SPA 1730	1730	MF3-SPA 2420	2420	MF3-SPA 3670	3670
MF3-SPA 1210	1210	MF3-SPA 1745	1745	MF3-SPA 2425	2425	MF3-SPA 3700	3700
MF3-SPA 1215	1215	MF3-SPA 1750	1750	MF3-SPA 2430	2430	MF3-SPA 3750	3750
MF3-SPA 1220	1220	MF3-SPA 1760	1760	MF3-SPA 2445	2445	MF3-SPA 3760	3760
MF3-SPA 1225	1225	MF3-SPA 1780	1780	MF3-SPA 2450	2450	MF3-SPA 3800	3800
MF3-SPA 1230	1230	MF3-SPA 1800	1800	MF3-SPA 2460	2460	MF3-SPA 3850	3850
MF3-SPA 1240	1240	MF3-SPA 1820	1820	MF3-SPA 2470	2470	MF3-SPA 3900	3900
MF3-SPA 1250	1250	MF3-SPA 1830	1830	MF3-SPA 2480	2480	MF3-SPA 4000	4000
MF3-SPA 1260	1260	MF3-SPA 1840	1840	MF3-SPA 2485	2485	MF3-SPA 4040	4040
MF3-SPA 1270	1270	MF3-SPA 1845	1845	MF3-SPA 2500	2500	MF3-SPA 4050	4050
MF3-SPA 1275	1275	MF3-SPA 1850	1850	MF3-SPA 2520	2520	MF3-SPA 4060	4060
MF3-SPA 1280	1280	MF3-SPA 1860	1860	MF3-SPA 2550	2550	MF3-SPA 4230	4230
MF3-SPA 1290	1290	MF3-SPA 1870	1870	MF3-SPA 2560	2560	MF3-SPA 4250	4250
MF3-SPA 1300	1300	MF3-SPA 1875	1875	MF3-SPA 2580	2580	MF3-SPA 4260	4260
MF3-SPA 1310	1310	MF3-SPA 1880	1880	MF3-SPA 2600	2600	MF3-SPA 4350	4350
MF3-SPA 1320	1320	MF3-SPA 1900	1900	MF3-SPA 2620	2620	MF3-SPA 6000	6000
MF3-SPA 1325	1325	MF3-SPA 1920	1920	MF3-SPA 2625	2625	MF3-SPA 6800	6800
MF3-SPA 1330	1330	MF3-SPA 1925	1925	MF3-SPA 2650	2650	MF3-SPA 9087	9087

PIX-Muscle® -XS3

Product range



SPB		SPB		SPB		SPB	
Product Code	Pitch Length	Product Code	Pitch Length	Product Code	Pitch Length	Product Code	Pitch Length
MF3-SPB 1000	1000	MF3-SPB 2170	2170	MF3-SPB 3180	3180	MF3-SPB 4560	4560
MF3-SPB 1010	1010	MF3-SPB 2200	2200	MF3-SPB 3200	3200	MF3-SPB 4570	4570
MF3-SPB 1050	1050	MF3-SPB 2210	2210	MF3-SPB 3240	3240	MF3-SPB 4600	4600
MF3-SPB 1090	1090	MF3-SPB 2250	2250	MF3-SPB 3250	3250	MF3-SPB 4620	4620
MF3-SPB 1100	1100	MF3-SPB 2260	2260	MF3-SPB 3260	3260	MF3-SPB 4650	4650
MF3-SPB 1110	1110	MF3-SPB 2300	2300	MF3-SPB 3270	3270	MF3-SPB 4680	4680
MF3-SPB 1120	1120	MF3-SPB 2310	2310	MF3-SPB 3300	3300	MF3-SPB 4700	4700
MF3-SPB 1160	1160	MF3-SPB 2320	2320	MF3-SPB 3320	3320	MF3-SPB 4730	4730
MF3-SPB 1180	1180	MF3-SPB 2325	2325	MF3-SPB 3340	3340	MF3-SPB 4750	4750
MF3-SPB 1200	1200	MF3-SPB 2330	2330	MF3-SPB 3350	3350	MF3-SPB 4800	4800
MF3-SPB 1230	1230	MF3-SPB 2380	2380	MF3-SPB 3360	3360	MF3-SPB 4810	4810
MF3-SPB 1240	1240	MF3-SPB 2400	2400	MF3-SPB 3390	3390	MF3-SPB 4820	4820
MF3-SPB 1300	1300	MF3-SPB 2410	2410	MF3-SPB 3400	3400	MF3-SPB 4826	4826
MF3-SPB 1310	1310	MF3-SPB 2420	2420	MF3-SPB 3420	3420	MF3-SPB 4830	4830
MF3-SPB 1330	1330	MF3-SPB 2425	2425	MF3-SPB 3550	3550	MF3-SPB 4850	4850
MF3-SPB 1340	1340	MF3-SPB 2430	2430	MF3-SPB 3560	3560	MF3-SPB 4870	4870
MF3-SPB 1350	1350	MF3-SPB 2450	2450	MF3-SPB 3570	3570	MF3-SPB 4880	4880
MF3-SPB 1360	1360	MF3-SPB 2460	2460	MF3-SPB 3575	3575	MF3-SPB 4900	4900
MF3-SPB 1370	1370	MF3-SPB 2480	2480	MF3-SPB 3580	3580	MF3-SPB 4910	4910
MF3-SPB 1400	1400	MF3-SPB 2500	2500	MF3-SPB 3600	3600	MF3-SPB 4950	4950
MF3-SPB 1425	1425	MF3-SPB 2520	2520	MF3-SPB 3620	3620	MF3-SPB 5000	5000
MF3-SPB 1480	1480	MF3-SPB 2525	2525	MF3-SPB 3625	3625	MF3-SPB 5050	5050
MF3-SPB 1500	1500	MF3-SPB 2530	2530	MF3-SPB 3650	3650	MF3-SPB 5200	5200
MF3-SPB 1510	1510	MF3-SPB 2550	2550	MF3-SPB 3670	3670	MF3-SPB 5275	5275
MF3-SPB 1520	1520	MF3-SPB 2595	2595	MF3-SPB 3675	3675	MF3-SPB 5300	5300
MF3-SPB 1525	1525	MF3-SPB 2600	2600	MF3-SPB 3680	3680	MF3-SPB 5380	5380
MF3-SPB 1530	1530	MF3-SPB 2615	2615	MF3-SPB 3700	3700	MF3-SPB 5400	5400
MF3-SPB 1540	1540	MF3-SPB 2625	2625	MF3-SPB 3720	3720	MF3-SPB 5900	5900
MF3-SPB 1550	1550	MF3-SPB 2640	2640	MF3-SPB 3725	3725	MF3-SPB 6000	6000
MF3-SPB 1640	1640	MF3-SPB 2650	2650	MF3-SPB 3800	3800	MF3-SPB 6500	6500
MF3-SPB 1650	1650	MF3-SPB 2665	2665	MF3-SPB 3810	3810	MF3-SPB 6600	6600
MF3-SPB 1660	1660	MF3-SPB 2670	2670	MF3-SPB 3825	3825	MF3-SPB 7060	7060
MF3-SPB 1670	1670	MF3-SPB 2675	2675	MF3-SPB 3850	3850	MF3-SPB 7300	7300
MF3-SPB 1675	1675	MF3-SPB 2680	2680	MF3-SPB 3870	3870	MF3-SPB 7400	7400
MF3-SPB 1680	1680	MF3-SPB 2690	2690	MF3-SPB 3875	3875	MF3-SPB 7500	7500
MF3-SPB 1685	1685	MF3-SPB 2700	2700	MF3-SPB 3900	3900	MF3-SPB 7620	7620
MF3-SPB 1700	1700	MF3-SPB 2720	2720	MF3-SPB 3925	3925	MF3-SPB 7800	7800
MF3-SPB 1720	1720	MF3-SPB 2740	2740	MF3-SPB 3950	3950	MF3-SPB 7900	7900
MF3-SPB 1725	1725	MF3-SPB 2745	2745	MF3-SPB 4000	4000	MF3-SPB 8000	8000
MF3-SPB 1740	1740	MF3-SPB 2790	2790	MF3-SPB 4020	4020	MF3-SPB 8300	8300
MF3-SPB 1760	1760	MF3-SPB 2800	2800	MF3-SPB 4050	4050	MF3-SPB 8500	8500
MF3-SPB 1940	1940	MF3-SPB 2850	2850	MF3-SPB 4060	4060	MF3-SPB 9000	9000
MF3-SPB 1975	1975	MF3-SPB 2880	2880	MF3-SPB 4065	4065	MF3-SPB 9100	9100
MF3-SPB 2000	2000	MF3-SPB 2900	2900	MF3-SPB 4100	4100	MF3-SPB 10000	10000
MF3-SPB 2060	2060	MF3-SPB 2910	2910	MF3-SPB 4120	4120	MF3-SPB 12000	12000
MF3-SPB 2065	2065	MF3-SPB 2955	2955	MF3-SPB 4150	4150	MF3-SPB 16824	16824
MF3-SPB 2070	2070	MF3-SPB 2960	2960	MF3-SPB 4300	4300	MF3-SPB 18000	18000
MF3-SPB 2080	2080	MF3-SPB 2995	2995	MF3-SPB 4310	4310	MF3-SPB 19000	19000
MF3-SPB 2100	2100	MF3-SPB 3000	3000	MF3-SPB 4320	4320	MF3-SPB 19800	19800
MF3-SPB 2120	2120	MF3-SPB 3050	3050	MF3-SPB 4400	4400	MF3-SPB 20000	20000
MF3-SPB 2125	2125	MF3-SPB 3070	3070	MF3-SPB 4450	4450	MF3-SPB 20500	20500
MF3-SPB 2130	2130	MF3-SPB 3080	3080	MF3-SPB 4490	4490	MF3-SPB 21000	21000
MF3-SPB 2150	2150	MF3-SPB 3125	3125	MF3-SPB 4500	4500	MF3-SPB 22000	22000
MF3-SPB 2160	2160	MF3-SPB 3140	3140	MF3-SPB 4550	4550	MF3-SPB 23606	23606

Pitch length in mm

Intermediate sizes are available upon request

PIX-Muscle® -XS3


Product range



SPC		SPC		SPC		SPC	
Product Code	Pitch Length	Product Code	Pitch Length	Product Code	Pitch Length	Product Code	Pitch Length
MF3-SPC 1861	1861	MF3-SPC 2900	2900	MF3-SPC 4060	4060	MF3-SPC 5750	5750
MF3-SPC 1900	1900	MF3-SPC 2920	2920	MF3-SPC 4070	4070	MF3-SPC 5760	5760
MF3-SPC 1910	1910	MF3-SPC 2950	2950	MF3-SPC 4075	4075	MF3-SPC 5800	5800
MF3-SPC 1950	1950	MF3-SPC 3000	3000	MF3-SPC 4080	4080	MF3-SPC 5840	5840
MF3-SPC 2000	2000	MF3-SPC 3030	3030	MF3-SPC 4100	4100	MF3-SPC 5850	5850
MF3-SPC 2010	2010	MF3-SPC 3050	3050	MF3-SPC 4110	4110	MF3-SPC 5865	5865
MF3-SPC 2020	2020	MF3-SPC 3070	3070	MF3-SPC 4150	4150	MF3-SPC 5900	5900
MF3-SPC 2040	2040	MF3-SPC 3080	3080	MF3-SPC 4170	4170	MF3-SPC 6000	6000
MF3-SPC 2050	2050	MF3-SPC 3100	3100	MF3-SPC 4200	4200	MF3-SPC 6050	6050
MF3-SPC 2060	2060	MF3-SPC 3150	3150	MF3-SPC 4300	4300	MF3-SPC 6100	6100
MF3-SPC 2080	2080	MF3-SPC 3170	3170	MF3-SPC 4325	4325	MF3-SPC 6150	6150
MF3-SPC 2088	2088	MF3-SPC 3200	3200	MF3-SPC 4350	4350	MF3-SPC 6200	6200
MF3-SPC 2110	2110	MF3-SPC 3240	3240	MF3-SPC 4370	4370	MF3-SPC 6300	6300
MF3-SPC 2120	2120	MF3-SPC 3250	3250	MF3-SPC 4380	4380	MF3-SPC 6400	6400
MF3-SPC 2150	2150	MF3-SPC 3260	3260	MF3-SPC 4400	4400	MF3-SPC 6500	6500
MF3-SPC 2200	2200	MF3-SPC 3300	3300	MF3-SPC 4430	4430	MF3-SPC 6530	6530
MF3-SPC 2215	2215	MF3-SPC 3310	3310	MF3-SPC 4445	4445	MF3-SPC 6600	6600
MF3-SPC 2240	2240	MF3-SPC 3380	3380	MF3-SPC 4500	4500	MF3-SPC 6700	6700
MF3-SPC 2250	2250	MF3-SPC 3400	3400	MF3-SPC 4560	4560	MF3-SPC 6800	6800
MF3-SPC 2255	2255	MF3-SPC 3425	3425	MF3-SPC 4580	4580	MF3-SPC 6850	6850
MF3-SPC 2260	2260	MF3-SPC 3450	3450	MF3-SPC 4600	4600	MF3-SPC 6900	6900
MF3-SPC 2280	2280	MF3-SPC 3460	3460	MF3-SPC 4650	4650	MF3-SPC 6930	6930
MF3-SPC 2300	2300	MF3-SPC 3475	3475	MF3-SPC 4700	4700	MF3-SPC 6950	6950
MF3-SPC 2330	2330	MF3-SPC 3500	3500	MF3-SPC 4750	4750	MF3-SPC 7000	7000
MF3-SPC 2335	2335	MF3-SPC 3510	3510	MF3-SPC 4830	4830	MF3-SPC 7020	7020
MF3-SPC 2340	2340	MF3-SPC 3520	3520	MF3-SPC 4850	4850	MF3-SPC 7100	7100
MF3-SPC 2350	2350	MF3-SPC 3525	3525	MF3-SPC 4900	4900	MF3-SPC 7106	7106
MF3-SPC 2360	2360	MF3-SPC 3550	3550	MF3-SPC 4950	4950	MF3-SPC 7200	7200
MF3-SPC 2380	2380	MF3-SPC 3555	3555	MF3-SPC 4975	4975	MF3-SPC 7220	7220
MF3-SPC 2400	2400	MF3-SPC 3575	3575	MF3-SPC 4980	4980	MF3-SPC 7250	7250
MF3-SPC 2410	2410	MF3-SPC 3600	3600	MF3-SPC 5000	5000	MF3-SPC 7300	7300
MF3-SPC 2450	2450	MF3-SPC 3625	3625	MF3-SPC 5050	5050	MF3-SPC 7350	7350
MF3-SPC 2465	2465	MF3-SPC 3650	3650	MF3-SPC 5100	5100	MF3-SPC 7400	7400
MF3-SPC 2500	2500	MF3-SPC 3675	3675	MF3-SPC 5125	5125	MF3-SPC 7450	7450
MF3-SPC 2520	2520	MF3-SPC 3690	3690	MF3-SPC 5150	5150	MF3-SPC 7500	7500
MF3-SPC 2530	2530	MF3-SPC 3700	3700	MF3-SPC 5200	5200	MF3-SPC 7555	7555
MF3-SPC 2540	2540	MF3-SPC 3710	3710	MF3-SPC 5240	5240	MF3-SPC 7600	7600
MF3-SPC 2550	2550	MF3-SPC 3725	3725	MF3-SPC 5250	5250	MF3-SPC 7610	7610
MF3-SPC 2560	2560	MF3-SPC 3750	3750	MF3-SPC 5300	5300	MF3-SPC 7620	7620
MF3-SPC 2600	2600	MF3-SPC 3780	3780	MF3-SPC 5350	5350	MF3-SPC 7640	7640
MF3-SPC 2620	2620	MF3-SPC 3800	3800	MF3-SPC 5375	5375	MF3-SPC 7700	7700
MF3-SPC 2630	2630	MF3-SPC 3820	3820	MF3-SPC 5380	5380	MF3-SPC 7750	7750
MF3-SPC 2650	2650	MF3-SPC 3825	3825	MF3-SPC 5390	5390	MF3-SPC 7800	7800
MF3-SPC 2680	2680	MF3-SPC 3850	3850	MF3-SPC 5400	5400	MF3-SPC 7900	7900
MF3-SPC 2690	2690	MF3-SPC 3870	3870	MF3-SPC 5430	5430	MF3-SPC 7970	7970
MF3-SPC 2700	2700	MF3-SPC 3875	3875	MF3-SPC 5450	5450	MF3-SPC 9300	9300
MF3-SPC 2720	2720	MF3-SPC 3900	3900	MF3-SPC 5500	5500	MF3-SPC 12140	12140
MF3-SPC 2750	2750	MF3-SPC 3920	3920	MF3-SPC 5525	5525	MF3-SPC 12410	12410
MF3-SPC 2800	2800	MF3-SPC 3950	3950	MF3-SPC 5550	5550	MF3-SPC 12500	12500
MF3-SPC 2825	2825	MF3-SPC 3970	3970	MF3-SPC 5600	5600	MF3-SPC 12800	12800
MF3-SPC 2845	2845	MF3-SPC 3975	3975	MF3-SPC 5630	5630	MF3-SPC 13500	13500
MF3-SPC 2860	2860	MF3-SPC 4000	4000	MF3-SPC 5650	5650	MF3-SPC 14600	14600
MF3-SPC 2870	2870	MF3-SPC 4020	4020	MF3-SPC 5675	5675	MF3-SPC 16500	16500
MF3-SPC 2890	2890	MF3-SPC 4050	4050	MF3-SPC 5700	5700	MF3-SPC 23629	23629

PIX-Muscle® -XS3

Product range



3V		3V		5V		5V	
Product Code	Outside Length	Product Code	Outside Length	Product Code	Outside Length	Product Code	Outside Length
MF3-3V 195	19.5	MF3-3V 730	73.0	MF3-5V 480	48.0	MF3-5V 1350	135.0
MF3-3V 210	21.0	MF3-3V 750	75.0	MF3-5V 500	50.0	MF3-5V 1370	137.0
MF3-3V 250	25.0	MF3-3V 760	76.0	MF3-5V 520	52.0	MF3-5V 1400	140.0
MF3-3V 265	26.5	MF3-3V 770	77.0	MF3-5V 530	53.0	MF3-5V 1405	140.5
MF3-3V 275	27.5	MF3-3V 780	78.0	MF3-5V 600	60.0	MF3-5V 1430	143.0
MF3-3V 280	28.0	MF3-3V 790	79.0	MF3-5V 660	66.0	MF3-5V 1450	145.0
MF3-3V 300	30.0	MF3-3V 800	80.0	MF3-5V 670	67.0	MF3-5V 1500	150.0
MF3-3V 315	31.5	MF3-3V 810	81.0	MF3-5V 690	69.0	MF3-5V 1510	151.0
MF3-3V 320	32.0	MF3-3V 820	82.0	MF3-5V 700	70.0	MF3-5V 1550	155.0
MF3-3V 325	32.5	MF3-3V 830	83.0	MF3-5V 750	75.0	MF3-5V 1580	158.0
MF3-3V 330	33.0	MF3-3V 840	84.0	MF3-5V 770	77.0	MF3-5V 1595	159.5
MF3-3V 335	33.5	MF3-3V 850	85.0	MF3-5V 780	78.0	MF3-5V 1600	160.0
MF3-3V 340	34.0	MF3-3V 860	86.0	MF3-5V 800	80.0	MF3-5V 1640	164.0
MF3-3V 350	35.0	MF3-3V 870	87.0	MF3-5V 830	83.0	MF3-5V 1650	165.0
MF3-3V 355	35.5	MF3-3V 890	89.0	MF3-5V 835	83.5	MF3-5V 1700	170.0
MF3-3V 360	36.0	MF3-3V 900	90.0	MF3-5V 840	84.0	MF3-5V 1750	175.0
MF3-3V 370	37.0	MF3-3V 920	92.0	MF3-5V 850	85.0	MF3-5V 1760	176.0
MF3-3V 375	37.5	MF3-3V 940	94.0	MF3-5V 860	86.0	MF3-5V 1770	177.0
MF3-3V 380	38.0	MF3-3V 950	95.0	MF3-5V 900	90.0	MF3-5V 1800	180.0
MF3-3V 390	39.0	MF3-3V 960	96.0	MF3-5V 910	91.0	MF3-5V 1900	190.0
MF3-3V 400	40.0	MF3-3V 980	98.0	MF3-5V 920	92.0	MF3-5V 1960	196.0
MF3-3V 415	41.5	MF3-3V 1000	100.0	MF3-5V 930	93.0	MF3-5V 1970	197.0
MF3-3V 420	42.0	MF3-3V 1010	101.0	MF3-5V 950	95.0	MF3-5V 2000	200.0
MF3-3V 425	42.5	MF3-3V 1050	105.0	MF3-5V 960	96.0	MF3-5V 2050	205.0
MF3-3V 430	43.0	MF3-3V 1060	106.0	MF3-5V 975	97.5	MF3-5V 2060	206.0
MF3-3V 450	45.0	MF3-3V 1080	108.0	MF3-5V 980	98.0	MF3-5V 2115	211.5
MF3-3V 455	45.5	MF3-3V 1120	112.0	MF3-5V 985	98.5	MF3-5V 2120	212.0
MF3-3V 460	46.0	MF3-3V 1140	114.0	MF3-5V 995	99.5	MF3-5V 2150	215.0
MF3-3V 475	47.5	MF3-3V 1150	115.0	MF3-5V 1000	100.0	MF3-5V 2170	217.0
MF3-3V 480	48.0	MF3-3V 1180	118.0	MF3-5V 1010	101.0	MF3-5V 2180	218.0
MF3-3V 490	49.0	MF3-3V 1200	120.0	MF3-5V 1020	102.0	MF3-5V 2330	233.0
MF3-3V 495	49.5	MF3-3V 1250	125.0	MF3-5V 1030	103.0	MF3-5V 2440	244.0
MF3-3V 500	50.0	MF3-3V 1280	128.0	MF3-5V 1040	104.0	MF3-5V 2450	245.0
MF3-3V 510	51.0	MF3-3V 1320	132.0	MF3-5V 1050	105.0	MF3-5V 2480	248.0
MF3-3V 520	52.0	MF3-3V 1350	135.0	MF3-5V 1055	105.5	MF3-5V 6570	657.0
MF3-3V 530	53.0	MF3-3V 1400	140.0	MF3-5V 1070	107.0	MF3-5V 7000	700.0
MF3-3V 550	55.0	MF3-3V 1500	150.0	MF3-5V 1090	109.0	MF3-5V 7075	707.5
MF3-3V 560	56.0	MF3-3V 1520	152.0	MF3-5V 1100	110.0	MF3-5V 7150	715.0
MF3-3V 575	57.5	MF3-3V 1530	153.0	MF3-5V 1110	111.0	MF3-5V 7300	730.0
MF3-3V 580	58.0	MF3-3V 1600	160.0	MF3-5V 1120	112.0	MF3-5V 7675	767.5
MF3-3V 590	59.0			MF3-5V 1140	114.0	MF3-5V 7750	775.0
MF3-3V 600	60.0			MF3-5V 1150	115.0	MF3-5V 7900	790.0
MF3-3V 620	62.0			MF3-5V 1160	116.0	MF3-5V 7975	797.5
MF3-3V 630	63.0			MF3-5V 1180	118.0	MF3-5V 8050	805.0
MF3-3V 635	63.5			MF3-5V 1200	120.0	MF3-5V 8125	812.5
MF3-3V 640	64.0			MF3-5V 1210	121.0	MF3-5V 8350	835.0
MF3-3V 650	65.0			MF3-5V 1220	122.0	MF3-5V 8425	842.5
MF3-3V 660	66.0			MF3-5V 1240	124.0	MF3-5V 8575	857.5
MF3-3V 670	67.0			MF3-5V 1250	125.0	MF3-5V 8650	865.0
MF3-3V 680	68.0			MF3-5V 1290	129.0	MF3-5V 8800	880.0
MF3-3V 690	69.0			MF3-5V 1300	130.0	MF3-5V 8950	895.0
MF3-3V 700	70.0			MF3-5V 1320	132.0	MF3-5V 9025	902.5
MF3-3V 710	71.0			MF3-5V 1330	133.0	MF3-5V 9100	910.0
MF3-3V 720	72.0			MF3-5V 1340	134.0	MF3-5V 9300	930.0

Outside length in inches

Intermediate sizes are available upon request

PIX-Muscle® -XS3


Product range




8V		8V		8V		8V	
Product Code	Outside Length	Product Code	Outside Length	Product Code	Outside Length	Product Code	Outside Length
MF3-8V 1000	100.0	MF3-8V 1575	157.5	MF3-8V 2350	235.0	MF3-8V 3600	360.0
MF3-8V 1050	105.0	MF3-8V 1590	159.0	MF3-8V 2360	236.0	MF3-8V 3750	375.0
MF3-8V 1060	106.0	MF3-8V 1600	160.0	MF3-8V 2380	238.0	MF3-8V 3800	380.0
MF3-8V 1110	111.0	MF3-8V 1640	164.0	MF3-8V 2480	248.0	MF3-8V 3900	390.0
MF3-8V 1120	112.0	MF3-8V 1650	165.0	MF3-8V 2490	249.0	MF3-8V 3940	394.0
MF3-8V 1140	114.0	MF3-8V 1660	166.0	MF3-8V 2500	250.0	MF3-8V 4000	400.0
MF3-8V 1180	118.0	MF3-8V 1700	170.0	MF3-8V 2540	254.0	MF3-8V 4050	405.0
MF3-8V 1200	120.0	MF3-8V 1740	174.0	MF3-8V 2550	255.0	MF3-8V 4220	422.0
MF3-8V 1240	124.0	MF3-8V 1750	175.0	MF3-8V 2570	257.0	MF3-8V 4225	422.5
MF3-8V 1250	125.0	MF3-8V 1800	180.0	MF3-8V 2600	260.0	MF3-8V 4250	425.0
MF3-8V 1300	130.0	MF3-8V 1840	184.0	MF3-8V 2650	265.0	MF3-8V 4500	450.0
MF3-8V 1310	131.0	MF3-8V 1850	185.0	MF3-8V 2680	268.0	MF3-8V 4740	474.0
MF3-8V 1320	132.0	MF3-8V 1860	186.0	MF3-8V 2700	270.0	MF3-8V 4750	475.0
MF3-8V 1330	133.0	MF3-8V 1870	187.0	MF3-8V 2750	275.0	MF3-8V 4960	496.0
MF3-8V 1340	134.0	MF3-8V 1900	190.0	MF3-8V 2800	280.0	MF3-8V 5000	500.0
MF3-8V 1350	135.0	MF3-8V 1950	195.0	MF3-8V 2845	284.5	MF3-8V 5300	530.0
MF3-8V 1380	138.0	MF3-8V 1990	199.0	MF3-8V 2900	290.0	MF3-8V 5600	560.0
MF3-8V 1390	139.0	MF3-8V 2000	200.0	MF3-8V 3000	300.0	MF3-8V 5705	570.5
MF3-8V 1400	140.0	MF3-8V 2040	204.0	MF3-8V 3150	315.0	MF3-8V 5800	580.0
MF3-8V 1430	143.0	MF3-8V 2090	209.0	MF3-8V 3200	320.0	MF3-8V 5820	582.0
MF3-8V 1440	144.0	MF3-8V 2100	210.0	MF3-8V 3210	321.0	MF3-8V 6350	635.0
MF3-8V 1480	148.0	MF3-8V 2120	212.0	MF3-8V 3270	327.0	MF3-8V 8500	850.0
MF3-8V 1500	150.0	MF3-8V 2140	214.0	MF3-8V 3350	335.0	MF3-8V 9000	900.0
MF3-8V 1505	150.5	MF3-8V 2230	223.0	MF3-8V 3470	347.0	MF3-8V 9050	905.0
MF3-8V 1530	153.0	MF3-8V 2240	224.0	MF3-8V 3500	350.0	MF3-8V 9330	933.0
MF3-8V 1550	155.0	MF3-8V 2250	225.0	MF3-8V 3550	355.0		

PIX-Muscle® -HXS3

Product range



HSPZ		HSPZ		HSPZ		HSPZ	
Product Code	Pitch Length	Product Code	Pitch Length	Product Code	Pitch Length	Product Code	Pitch Length
MF3-HSPZ-1180	1180	MF3-HSPZ-1562	1562	MF3-HSPZ-2100	2100	MF3-HSPZ-2900	2900
MF3-HSPZ-1220	1220	MF3-HSPZ-1585	1585	MF3-HSPZ-2120	2120	MF3-HSPZ-3000	3000
MF3-HSPZ-1250	1250	MF3-HSPZ-1587	1587	MF3-HSPZ-2137	2137	MF3-HSPZ-3150	3150
MF3-HSPZ-1270	1270	MF3-HSPZ-1600	1600	MF3-HSPZ-2150	2150	MF3-HSPZ-3200	3200
MF3-HSPZ-1280	1280	MF3-HSPZ-1612	1612	MF3-HSPZ-2160	2160	MF3-HSPZ-3350	3350
MF3-HSPZ-1285	1285	MF3-HSPZ-1637	1637	MF3-HSPZ-2180	2180	MF3-HSPZ-3450	3450
MF3-HSPZ-1287	1287	MF3-HSPZ-1650	1650	MF3-HSPZ-2182	2182	MF3-HSPZ-3500	3500
MF3-HSPZ-1300	1300	MF3-HSPZ-1662	1662	MF3-HSPZ-2187	2187	MF3-HSPZ-3550	3550
MF3-HSPZ-1312	1312	MF3-HSPZ-1675	1675	MF3-HSPZ-2200	2200	MF3-HSPZ-3750	3750
MF3-HSPZ-1320	1320	MF3-HSPZ-1687	1687	MF3-HSPZ-2240	2240	MF3-HSPZ-3800	3800
MF3-HSPZ-1335	1335	MF3-HSPZ-1690	1690	MF3-HSPZ-2280	2280	MF3-HSPZ-3985	3985
MF3-HSPZ-1337	1337	MF3-HSPZ-1700	1700	MF3-HSPZ-2287	2287	MF3-HSPZ-4000	4000
MF3-HSPZ-1340	1340	MF3-HSPZ-1706	1706	MF3-HSPZ-2300	2300	MF3-HSPZ-4120	4120
MF3-HSPZ-1350	1350	MF3-HSPZ-1732	1732	MF3-HSPZ-2360	2360	MF3-HSPZ-4210	4210
MF3-HSPZ-1360	1360	MF3-HSPZ-1737	1737	MF3-HSPZ-2410	2410	MF3-HSPZ-4285	4285
MF3-HSPZ-1362	1362	MF3-HSPZ-1750	1750	MF3-HSPZ-2423	2423	MF3-HSPZ-4300	4300
MF3-HSPZ-1385	1385	MF3-HSPZ-1762	1762	MF3-HSPZ-2437	2437	MF3-HSPZ-4320	4320
MF3-HSPZ-1387	1387	MF3-HSPZ-1787	1787	MF3-HSPZ-2450	2450	MF3-HSPZ-4400	4400
MF3-HSPZ-1400	1400	MF3-HSPZ-1800	1800	MF3-HSPZ-2500	2500	MF3-HSPZ-4500	4500
MF3-HSPZ-1412	1412	MF3-HSPZ-1837	1837	MF3-HSPZ-2540	2540	MF3-HSPZ-4515	4515
MF3-HSPZ-1420	1420	MF3-HSPZ-1850	1850	MF3-HSPZ-2600	2600	MF3-HSPZ-5000	5000
MF3-HSPZ-1437	1437	MF3-HSPZ-1862	1862	MF3-HSPZ-2650	2650	MF3-HSPZ-5100	5100
MF3-HSPZ-1450	1450	MF3-HSPZ-1900	1900	MF3-HSPZ-2670	2670	MF3-HSPZ-5200	5200
MF3-HSPZ-1462	1462	MF3-HSPZ-1937	1937	MF3-HSPZ-2685	2685	MF3-HSPZ-5300	5300
MF3-HSPZ-1470	1470	MF3-HSPZ-1950	1950	MF3-HSPZ-2690	2690	MF3-HSPZ-5400	5400
MF3-HSPZ-1487	1487	MF3-HSPZ-1960	1960	MF3-HSPZ-2700	2700	MF3-HSPZ-5500	5500
MF3-HSPZ-1500	1500	MF3-HSPZ-1962	1962	MF3-HSPZ-2760	2760	MF3-HSPZ-5600	5600
MF3-HSPZ-1512	1512	MF3-HSPZ-1987	1987	MF3-HSPZ-2780	2780	MF3-HSPZ-5700	5700
MF3-HSPZ-1520	1520	MF3-HSPZ-2000	2000	MF3-HSPZ-2790	2790	MF3-HSPZ-6000	6000
MF3-HSPZ-1535	1535	MF3-HSPZ-2030	2030	MF3-HSPZ-2800	2800	MF3-HSPZ-6300	6300
MF3-HSPZ-1537	1537	MF3-HSPZ-2037	2037	MF3-HSPZ-2840	2840	MF3-HSPZ-6539	6539
MF3-HSPZ-1550	1550	MF3-HSPZ-2060	2060	MF3-HSPZ-2875	2875		
MF3-HSPZ-1560	1560	MF3-HSPZ-2062	2062	MF3-HSPZ-2890	2890		




HSPA		HSPA		HSPA		HSPA	
Product Code	Pitch Length	Product Code	Pitch Length	Product Code	Pitch Length	Product Code	Pitch Length
MF3-HSPA-959	959	MF3-HSPA-1800	1800	MF3-HSPA-2690	2690	MF3-HSPA-3450	3450
MF3-HSPA-975	975	MF3-HSPA-1850	1850	MF3-HSPA-2700	2700	MF3-HSPA-3500	3500
MF3-HSPA-990	990	MF3-HSPA-1900	1900	MF3-HSPA-2732	2732	MF3-HSPA-3550	3550
MF3-HSPA-1000	1000	MF3-HSPA-1950	1950	MF3-HSPA-2742	2742	MF3-HSPA-3750	3750
MF3-HSPA-1220	1220	MF3-HSPA-2000	2000	MF3-HSPA-2750	2750	MF3-HSPA-3800	3800
MF3-HSPA-1240	1240	MF3-HSPA-2050	2050	MF3-HSPA-2780	2780	MF3-HSPA-3985	3985
MF3-HSPA-1250	1250	MF3-HSPA-2100	2100	MF3-HSPA-2790	2790	MF3-HSPA-4000	4000
MF3-HSPA-1260	1260	MF3-HSPA-2120	2120	MF3-HSPA-2800	2800	MF3-HSPA-4060	4060
MF3-HSPA-1270	1270	MF3-HSPA-2150	2150	MF3-HSPA-2850	2850	MF3-HSPA-4120	4120
MF3-HSPA-1272	1272	MF3-HSPA-2200	2200	MF3-HSPA-2875	2875	MF3-HSPA-4210	4210
MF3-HSPA-1282	1282	MF3-HSPA-2240	2240	MF3-HSPA-2890	2890	MF3-HSPA-4250	4250
MF3-HSPA-1300	1300	MF3-HSPA-2282	2282	MF3-HSPA-2900	2900	MF3-HSPA-4285	4285
MF3-HSPA-1450	1450	MF3-HSPA-2300	2300	MF3-HSPA-3000	3000	MF3-HSPA-4300	4300
MF3-HSPA-1460	1460	MF3-HSPA-2360	2360	MF3-HSPA-3020	3020	MF3-HSPA-4320	4320
MF3-HSPA-1500	1500	MF3-HSPA-2400	2400	MF3-HSPA-3050	3050	MF3-HSPA-4363	4363
MF3-HSPA-1550	1550	MF3-HSPA-2432	2432	MF3-HSPA-3100	3100		
MF3-HSPA-1557	1557	MF3-HSPA-2450	2450	MF3-HSPA-3150	3150		
MF3-HSPA-1600	1600	MF3-HSPA-2500	2500	MF3-HSPA-3200	3200		
MF3-HSPA-1650	1650	MF3-HSPA-2600	2600	MF3-HSPA-3250	3250		
MF3-HSPA-1657	1657	MF3-HSPA-2650	2650	MF3-HSPA-3300	3300		
MF3-HSPA-1700	1700	MF3-HSPA-2670	2670	MF3-HSPA-3350	3350		
MF3-HSPA-1750	1750	MF3-HSPA-2685	2685	MF3-HSPA-3400	3400		

Pitch length in MM

Intermediate sizes are available upon request

PIX-Muscle® -HXS3


Product range



HSPB		HSPB		HSPB		HSPB	
Product Code	Pitch Length	Product Code	Pitch Length	Product Code	Pitch Length	Product Code	Pitch Length
MF3-HSPB-1762	1762	MF3-HSPB-2310	2310	MF3-HSPB-3050	3050	MF3-HSPB-4750	4750
MF3-HSPB-1770	1770	MF3-HSPB-2325	2325	MF3-HSPB-3100	3100	MF3-HSPB-4820	4820
MF3-HSPB-1785	1785	MF3-HSPB-2350	2350	MF3-HSPB-3125	3125	MF3-HSPB-5000	5000
MF3-HSPB-1800	1800	MF3-HSPB-2360	2360	MF3-HSPB-3150	3150	MF3-HSPB-5070	5070
MF3-HSPB-1825	1825	MF3-HSPB-2375	2375	MF3-HSPB-3170	3170	MF3-HSPB-5100	5100
MF3-HSPB-1830	1830	MF3-HSPB-2400	2400	MF3-HSPB-3300	3300	MF3-HSPB-5150	5150
MF3-HSPB-1840	1840	MF3-HSPB-2410	2410	MF3-HSPB-3350	3350	MF3-HSPB-5200	5200
MF3-HSPB-1850	1850	MF3-HSPB-2425	2425	MF3-HSPB-3400	3400	MF3-HSPB-5300	5300
MF3-HSPB-1860	1860	MF3-HSPB-2450	2450	MF3-HSPB-3450	3450	MF3-HSPB-5400	5400
MF3-HSPB-1880	1880	MF3-HSPB-2475	2475	MF3-HSPB-3500	3500	MF3-HSPB-5500	5500
MF3-HSPB-1900	1900	MF3-HSPB-2500	2500	MF3-HSPB-3550	3550	MF3-HSPB-5600	5600
MF3-HSPB-1925	1925	MF3-HSPB-2510	2510	MF3-HSPB-3556	3556	MF3-HSPB-5680	5680
MF3-HSPB-1950	1950	MF3-HSPB-2525	2525	MF3-HSPB-3600	3600	MF3-HSPB-5700	5700
MF3-HSPB-1975	1975	MF3-HSPB-2530	2530	MF3-HSPB-3650	3650	MF3-HSPB-5850	5850
MF3-HSPB-2000	2000	MF3-HSPB-2550	2550	MF3-HSPB-3670	3670	MF3-HSPB-5900	5900
MF3-HSPB-2020	2020	MF3-HSPB-2555	2555	MF3-HSPB-3700	3700	MF3-HSPB-5990	5990
MF3-HSPB-2025	2025	MF3-HSPB-2575	2575	MF3-HSPB-3733	3733	MF3-HSPB-6000	6000
MF3-HSPB-2030	2030	MF3-HSPB-2585	2585	MF3-HSPB-3750	3750	MF3-HSPB-6300	6300
MF3-HSPB-2050	2050	MF3-HSPB-2595	2595	MF3-HSPB-3800	3800	MF3-HSPB-6340	6340
MF3-HSPB-2055	2055	MF3-HSPB-2600	2600	MF3-HSPB-3810	3810	MF3-HSPB-6500	6500
MF3-HSPB-2060	2060	MF3-HSPB-2625	2625	MF3-HSPB-3850	3850	MF3-HSPB-6700	6700
MF3-HSPB-2070	2070	MF3-HSPB-2650	2650	MF3-HSPB-3900	3900	MF3-HSPB-6750	6750
MF3-HSPB-2075	2075	MF3-HSPB-2675	2675	MF3-HSPB-3950	3950	MF3-HSPB-6850	6850
MF3-HSPB-2080	2080	MF3-HSPB-2700	2700	MF3-HSPB-4000	4000	MF3-HSPB-7000	7000
MF3-HSPB-2100	2100	MF3-HSPB-2710	2710	MF3-HSPB-4020	4020	MF3-HSPB-7100	7100
MF3-HSPB-2112	2112	MF3-HSPB-2720	2720	MF3-HSPB-4040	4040	MF3-HSPB-7365	7365
MF3-HSPB-2120	2120	MF3-HSPB-2725	2725	MF3-HSPB-4050	4050	MF3-HSPB-7450	7450
MF3-HSPB-2125	2125	MF3-HSPB-2750	2750	MF3-HSPB-4060	4060	MF3-HSPB-7500	7500
MF3-HSPB-2130	2130	MF3-HSPB-2760	2760	MF3-HSPB-4100	4100	MF3-HSPB-7620	7620
MF3-HSPB-2140	2140	MF3-HSPB-2775	2775	MF3-HSPB-4200	4200	MF3-HSPB-7990	7990
MF3-HSPB-2150	2150	MF3-HSPB-2800	2800	MF3-HSPB-4250	4250	MF3-HSPB-8000	8000
MF3-HSPB-2170	2170	MF3-HSPB-2825	2825	MF3-HSPB-4300	4300	MF3-HSPB-8100	8100
MF3-HSPB-2175	2175	MF3-HSPB-2840	2840	MF3-HSPB-4310	4310	MF3-HSPB-8300	8300
MF3-HSPB-2180	2180	MF3-HSPB-2850	2850	MF3-HSPB-4320	4320	MF3-HSPB-8500	8500
MF3-HSPB-2190	2190	MF3-HSPB-2875	2875	MF3-HSPB-4380	4380	MF3-HSPB-8750	8750
MF3-HSPB-2200	2200	MF3-HSPB-2900	2900	MF3-HSPB-4400	4400	MF3-HSPB-9000	9000
MF3-HSPB-2225	2225	MF3-HSPB-2920	2920	MF3-HSPB-4500	4500	MF3-HSPB-9100	9100
MF3-HSPB-2240	2240	MF3-HSPB-2925	2925	MF3-HSPB-4550	4550	MF3-HSPB-9140	9140
MF3-HSPB-2250	2250	MF3-HSPB-2950	2950	MF3-HSPB-4560	4560	MF3-HSPB-10068	10068
MF3-HSPB-2275	2275	MF3-HSPB-2975	2975	MF3-HSPB-4600	4600		
MF3-HSPB-2280	2280	MF3-HSPB-2990	2990	MF3-HSPB-4663	4663		
MF3-HSPB-2300	2300	MF3-HSPB-3000	3000	MF3-HSPB-4680	4680		

PIX-Muscle® -HXS3


Product range



HSPC		HSPC		HSPC		HSPC	
Product Code	Pitch Length	Product Code	Pitch Length	Product Code	Pitch Length	Product Code	Pitch Length
MF3-HSPC-1632	1632	MF3-HSPC-3810	3810	MF3-HSPC-5700	5700	MF3-HSPC-8600	8600
MF3-HSPC-2000	2000	MF3-HSPC-3820	3820	MF3-HSPC-5750	5750	MF3-HSPC-8650	8650
MF3-HSPC-2050	2050	MF3-HSPC-3850	3850	MF3-HSPC-5800	5800	MF3-HSPC-8700	8700
MF3-HSPC-2150	2150	MF3-HSPC-3875	3875	MF3-HSPC-5850	5850	MF3-HSPC-8750	8750
MF3-HSPC-2300	2300	MF3-HSPC-3900	3900	MF3-HSPC-5865	5865	MF3-HSPC-8800	8800
MF3-HSPC-2360	2360	MF3-HSPC-3950	3950	MF3-HSPC-5900	5900	MF3-HSPC-8850	8850
MF3-HSPC-2390	2390	MF3-HSPC-3970	3970	MF3-HSPC-5950	5950	MF3-HSPC-8900	8900
MF3-HSPC-2400	2400	MF3-HSPC-4000	4000	MF3-HSPC-6000	6000	MF3-HSPC-8950	8950
MF3-HSPC-2440	2440	MF3-HSPC-4100	4100	MF3-HSPC-6200	6200	MF3-HSPC-9000	9000
MF3-HSPC-2450	2450	MF3-HSPC-4150	4150	MF3-HSPC-6230	6230	MF3-HSPC-9250	9250
MF3-HSPC-2500	2500	MF3-HSPC-4200	4200	MF3-HSPC-6300	6300	MF3-HSPC-9300	9300
MF3-HSPC-2550	2550	MF3-HSPC-4250	4250	MF3-HSPC-6400	6400	MF3-HSPC-9500	9500
MF3-HSPC-2650	2650	MF3-HSPC-4400	4400	MF3-HSPC-6480	6480	MF3-HSPC-10000	10000
MF3-HSPC-2655	2655	MF3-HSPC-4445	4445	MF3-HSPC-6500	6500	MF3-HSPC-10500	10500
MF3-HSPC-2750	2750	MF3-HSPC-4500	4500	MF3-HSPC-6600	6600	MF3-HSPC-10600	10600
MF3-HSPC-2780	2780	MF3-HSPC-4570	4570	MF3-HSPC-6700	6700	MF3-HSPC-11000	11000
MF3-HSPC-2800	2800	MF3-HSPC-4580	4580	MF3-HSPC-6785	6785	MF3-HSPC-11200	11200
MF3-HSPC-2850	2850	MF3-HSPC-4600	4600	MF3-HSPC-6800	6800	MF3-HSPC-11500	11500
MF3-HSPC-2900	2900	MF3-HSPC-4650	4650	MF3-HSPC-6900	6900	MF3-HSPC-11800	11800
MF3-HSPC-2950	2950	MF3-HSPC-4750	4750	MF3-HSPC-6925	6925	MF3-HSPC-12000	12000
MF3-HSPC-3000	3000	MF3-HSPC-4800	4800	MF3-HSPC-7000	7000	MF3-HSPC-12500	12500
MF3-HSPC-3030	3030	MF3-HSPC-4850	4850	MF3-HSPC-7100	7100	MF3-HSPC-12800	12800
MF3-HSPC-3050	3050	MF3-HSPC-4900	4900	MF3-HSPC-7300	7300	MF3-HSPC-13000	13000
MF3-HSPC-3055	3055	MF3-HSPC-4950	4950	MF3-HSPC-7480	7480	MF3-HSPC-14500	14500
MF3-HSPC-3100	3100	MF3-HSPC-4980	4980	MF3-HSPC-7500	7500	MF3-HSPC-15000	15000
MF3-HSPC-3150	3150	MF3-HSPC-5000	5000	MF3-HSPC-7530	7530	MF3-HSPC-16575	16575
MF3-HSPC-3200	3200	MF3-HSPC-5080	5080	MF3-HSPC-8000	8000	MF3-HSPC-17000	17000
MF3-HSPC-3250	3250	MF3-HSPC-5150	5150	MF3-HSPC-8050	8050	MF3-HSPC-18000	18000
MF3-HSPC-3350	3350	MF3-HSPC-5250	5250	MF3-HSPC-8100	8100	MF3-HSPC-19500	19500
MF3-HSPC-3375	3375	MF3-HSPC-5300	5300	MF3-HSPC-8150	8150	MF3-HSPC-20000	20000
MF3-HSPC-3380	3380	MF3-HSPC-5390	5390	MF3-HSPC-8200	8200	MF3-HSPC-21500	21500
MF3-HSPC-3450	3450	MF3-HSPC-5450	5450	MF3-HSPC-8250	8250	MF3-HSPC-21750	21750
MF3-HSPC-3500	3500	MF3-HSPC-5480	5480	MF3-HSPC-8300	8300	MF3-HSPC-22000	22000
MF3-HSPC-3550	3550	MF3-HSPC-5500	5500	MF3-HSPC-8310	8310	MF3-HSPC-23629	23629
MF3-HSPC-3600	3600	MF3-HSPC-5525	5525	MF3-HSPC-8350	8350		
MF3-HSPC-3650	3650	MF3-HSPC-5550	5550	MF3-HSPC-8400	8400		
MF3-HSPC-3700	3700	MF3-HSPC-5575	5575	MF3-HSPC-8450	8450		
MF3-HSPC-3750	3750	MF3-HSPC-5600	5600	MF3-HSPC-8500	8500		
MF3-HSPC-3780	3780	MF3-HSPC-5650	5650	MF3-HSPC-8550	8550		

PIX-Muscle® -HXS3

Product range



H3V		H3V		H3V		H3V	
Product Code	Outside Length	Product Code	Outside Length	Product Code	Outside Length	Product Code	Outside Length
MF3-H3V-350	35.0	MF3-H3V-550	55.0	MF3-H3V-800	80.0	MF3-H3V-1220	122.0
MF3-H3V-375	37.5	MF3-H3V-560	56.0	MF3-H3V-830	83.0	MF3-H3V-1250	125.0
MF3-H3V-400	40.0	MF3-H3V-565	56.5	MF3-H3V-850	85.0	MF3-H3V-1300	130.0
MF3-H3V-410	41.0	MF3-H3V-580	58.0	MF3-H3V-900	90.0	MF3-H3V-1320	132.0
MF3-H3V-425	42.5	MF3-H3V-590	59.0	MF3-H3V-920	92.0	MF3-H3V-1350	135.0
MF3-H3V-430	43.0	MF3-H3V-600	60.0	MF3-H3V-950	95.0	MF3-H3V-1380	138.0
MF3-H3V-440	44.0	MF3-H3V-630	63.0	MF3-H3V-1000	100.0	MF3-H3V-1400	140.0
MF3-H3V-450	45.0	MF3-H3V-632	63.2	MF3-H3V-1060	106.0	MF3-H3V-1500	150.0
MF3-H3V-475	47.5	MF3-H3V-650	65.0	MF3-H3V-1080	108.0	MF3-H3V-1520	152.0
MF3-H3V-495	49.5	MF3-H3V-670	67.0	MF3-H3V-1100	110.0	MF3-H3V-1600	160.0
MF3-H3V-500	50.0	MF3-H3V-700	70.0	MF3-H3V-1120	112.0	MF3-H3V-1715	171.5
MF3-H3V-520	52.0	MF3-H3V-709	70.9	MF3-H3V-1150	115.0		
MF3-H3V-525	52.5	MF3-H3V-710	71.0	MF3-H3V-1180	118.0		
MF3-H3V-530	53.0	MF3-H3V-730	73.0	MF3-H3V-1181	118.1		
MF3-H3V-532	53.2	MF3-H3V-750	75.0	MF3-H3V-1200	120.0		




H5V		H5V		H5V		H5V	
Product Code	Outside Length	Product Code	Outside Length	Product Code	Outside Length	Product Code	Outside Length
MF3-H5V-500	50.0	MF3-H5V-1110	111.0	MF3-H5V-1650	165.0	MF3-H5V-3150	315.0
MF3-H5V-530	53.0	MF3-H5V-1120	112.0	MF3-H5V-1664	166.4	MF3-H5V-3350	335.0
MF3-H5V-550	55.0	MF3-H5V-1130	113.0	MF3-H5V-1673	167.3	MF3-H5V-3450	345.0
MF3-H5V-560	56.0	MF3-H5V-1150	115.0	MF3-H5V-1700	170.0	MF3-H5V-3550	355.0
MF3-H5V-600	60.0	MF3-H5V-1155	115.5	MF3-H5V-1720	172.0	MF3-H5V-3556	355.6
MF3-H5V-630	63.0	MF3-H5V-1180	118.0	MF3-H5V-1730	173.0	MF3-H5V-3800	380.0
MF3-H5V-650	65.0	MF3-H5V-1197	119.7	MF3-H5V-1750	175.0	MF3-H5V-4030	403.0
MF3-H5V-670	67.0	MF3-H5V-1200	120.0	MF3-H5V-1770	177.0	MF3-H5V-4150	415.0
MF3-H5V-700	70.0	MF3-H5V-1210	121.0	MF3-H5V-1800	180.0	MF3-H5V-4270	427.0
MF3-H5V-710	71.0	MF3-H5V-1230	123.0	MF3-H5V-1880	188.0	MF3-H5V-5000	500.0
MF3-H5V-750	75.0	MF3-H5V-1240	124.0	MF3-H5V-1900	190.0	MF3-H5V-5300	530.0
MF3-H5V-800	80.0	MF3-H5V-1250	125.0	MF3-H5V-1950	195.0	MF3-H5V-6020	602.0
MF3-H5V-815	81.5	MF3-H5V-1260	126.0	MF3-H5V-1960	196.0	MF3-H5V-6190	619.0
MF3-H5V-835	83.5	MF3-H5V-1270	127.0	MF3-H5V-1970	197.0	MF3-H5V-6480	648.0
MF3-H5V-850	85.0	MF3-H5V-1280	128.0	MF3-H5V-2000	200.0	MF3-H5V-6810	681.0
MF3-H5V-870	87.0	MF3-H5V-1290	129.0	MF3-H5V-2030	203.0	MF3-H5V-7000	700.0
MF3-H5V-900	90.0	MF3-H5V-1310	131.0	MF3-H5V-2050	205.0	MF3-H5V-7130	713.0
MF3-H5V-920	92.0	MF3-H5V-1320	132.0	MF3-H5V-2060	206.0	MF3-H5V-7270	727.0
MF3-H5V-925	92.5	MF3-H5V-1330	133.0	MF3-H5V-2110	211.0	MF3-H5V-7340	734.0
MF3-H5V-930	93.0	MF3-H5V-1340	134.0	MF3-H5V-2115	211.5	MF3-H5V-7590	759.0
MF3-H5V-950	95.0	MF3-H5V-1370	137.0	MF3-H5V-2120	212.0	MF3-H5V-7630	763.0
MF3-H5V-975	97.5	MF3-H5V-1399	139.9	MF3-H5V-2180	218.0	MF3-H5V-7840	784.0
MF3-H5V-985	98.5	MF3-H5V-1400	140.0	MF3-H5V-2240	224.0	MF3-H5V-8000	800.0
MF3-H5V-995	99.5	MF3-H5V-1405	140.5	MF3-H5V-2300	230.0	MF3-H5V-8070	807.0
MF3-H5V-1000	100.0	MF3-H5V-1407	140.7	MF3-H5V-2330	233.0	MF3-H5V-8160	816.0
MF3-H5V-1010	101.0	MF3-H5V-1420	142.0	MF3-H5V-2360	236.0	MF3-H5V-8260	826.0
MF3-H5V-1020	102.0	MF3-H5V-1430	143.0	MF3-H5V-2450	245.0	MF3-H5V-8540	854.0
MF3-H5V-1030	103.0	MF3-H5V-1460	146.0	MF3-H5V-2500	250.0	MF3-H5V-8630	863.0
MF3-H5V-1040	104.0	MF3-H5V-1464	146.4	MF3-H5V-2520	252.0	MF3-H5V-8740	874.0
MF3-H5V-1043	104.3	MF3-H5V-1476	147.6	MF3-H5V-2550	255.0	MF3-H5V-8800	880.0
MF3-H5V-1055	105.5	MF3-H5V-1500	150.0	MF3-H5V-2650	265.0	MF3-H5V-8920	892.0
MF3-H5V-1060	106.0	MF3-H5V-1524	152.4	MF3-H5V-2750	275.0	MF3-H5V-9050	905.0
MF3-H5V-1070	107.0	MF3-H5V-1550	155.0	MF3-H5V-2800	280.0	MF3-H5V-9180	918.0
MF3-H5V-1080	108.0	MF3-H5V-1575	157.5	MF3-H5V-2900	290.0	MF3-H5V-9300	930.0
MF3-H5V-1090	109.0	MF3-H5V-1595	159.5	MF3-H5V-2920	292.0		
MF3-H5V-1098	109.8	MF3-H5V-1600	160.0	MF3-H5V-3000	300.0		
MF3-H5V-1106	110.6	MF3-H5V-1614	161.4	MF3-H5V-3050	305.0		

Outside length in inches

Intermediate sizes are available upon request

PIX-Muscle® -HXS3

Product range



H8V		H8V		H8V		H8V	
Product Code	Outside Length	Product Code	Outside Length	Product Code	Outside Length	Product Code	Outside Length
MF3-H8V-1000	100.0	MF3-H8V-2240	224.0	MF3-H8V-3800	380.0	MF3-H8V-7000	700.0
MF3-H8V-1060	106.0	MF3-H8V-2250	225.0	MF3-H8V-3820	382.0	MF3-H8V-7250	725.0
MF3-H8V-1120	112.0	MF3-H8V-2350	235.0	MF3-H8V-3850	385.0	MF3-H8V-7300	730.0
MF3-H8V-1180	118.0	MF3-H8V-2360	236.0	MF3-H8V-3920	392.0	MF3-H8V-7500	750.0
MF3-H8V-1250	125.0	MF3-H8V-2500	250.0	MF3-H8V-3940	394.0	MF3-H8V-7600	760.0
MF3-H8V-1320	132.0	MF3-H8V-2540	254.0	MF3-H8V-4000	400.0	MF3-H8V-7750	775.0
MF3-H8V-1330	133.0	MF3-H8V-2600	260.0	MF3-H8V-4050	405.0	MF3-H8V-7850	785.0
MF3-H8V-1400	140.0	MF3-H8V-2650	265.0	MF3-H8V-4060	406.0	MF3-H8V-8000	800.0
MF3-H8V-1500	150.0	MF3-H8V-2700	270.0	MF3-H8V-4250	425.0	MF3-H8V-8100	810.0
MF3-H8V-1575	157.5	MF3-H8V-2750	275.0	MF3-H8V-4500	450.0	MF3-H8V-8250	825.0
MF3-H8V-1600	160.0	MF3-H8V-2800	280.0	MF3-H8V-4740	474.0	MF3-H8V-8400	840.0
MF3-H8V-1650	165.0	MF3-H8V-3000	300.0	MF3-H8V-4750	475.0	MF3-H8V-8500	850.0
MF3-H8V-1700	170.0	MF3-H8V-3140	314.0	MF3-H8V-5000	500.0	MF3-H8V-8600	860.0
MF3-H8V-1750	175.0	MF3-H8V-3150	315.0	MF3-H8V-5125	512.5	MF3-H8V-8750	875.0
MF3-H8V-1800	180.0	MF3-H8V-3200	320.0	MF3-H8V-5250	525.0	MF3-H8V-8800	880.0
MF3-H8V-1870	187.0	MF3-H8V-3300	330.0	MF3-H8V-5500	550.0	MF3-H8V-8900	890.0
MF3-H8V-1874	187.4	MF3-H8V-3350	335.0	MF3-H8V-5600	560.0	MF3-H8V-9000	900.0
MF3-H8V-1900	190.0	MF3-H8V-3470	347.0	MF3-H8V-5670	567.0	MF3-H8V-9100	910.0
MF3-H8V-2000	200.0	MF3-H8V-3500	350.0	MF3-H8V-6000	600.0	MF3-H8V-9315	931.5
MF3-H8V-2040	204.0	MF3-H8V-3550	355.0	MF3-H8V-6250	625.0		
MF3-H8V-2100	210.0	MF3-H8V-3600	360.0	MF3-H8V-6500	650.0		
MF3-H8V-2120	212.0	MF3-H8V-3750	375.0	MF3-H8V-6750	675.0		

Outside length in inches

Intermediate sizes are available upon request

Service Equipment



PIX-Digital Tension Meter



PIX-X'Align
(Laser-guided Pulley
Alignment Instrument)



PIX-Mobile App



PIX-Service Kit



PIX-Belt Length Measure



PIX-Tension Tester



PIX-Belt Profile Gauge



PIX-Belt Product Kit



PIX-Pulley Gauges



PIX-Pentagon
(Poly-V Belt Wear Gauge)



PIX-Pentagon
(Timing Belt Gauge)



PIX-Banded Belt
Gauge



PIX-X'slit
(Belt Cutting Machine)

PIX at a Glance..

- Fastest emerging global player in the mechanical power transmission products
- Over 5+ decades of expertise of manufacturing quality products
- Strong global brand identity
- Distribution network in over 100 countries
- Global product approvals, quality management systems
- Global presence, subsidiary operations in U.K., Germany and UAE
- State-of-art infrastructure for the development, manufacturing and testing of products
- Dedicated and committed R&D team

IATF 16949:2016	ISO 45001:2018	ISO 9001:2015	ISO 14001:2015
--------------------	-------------------	------------------	-------------------

Corporate Office



PIX Transmissions Ltd.

B-1208, 12th Floor, One BKC,
Bandra-Kurla, Complex Bandra (East),
Mumbai - 400051
Maharashtra, India

- ☎ +91-(0)-22-61383000
- ☎ +91-(0)-22-61383025
- ✉ info@pixtrans.com
- 🌐 www.pixtrans.com

Registered Office



PIX Transmissions Ltd.

J-7, M.I.D.C. Hingna Road,
Nagpur - 440016
Maharashtra, India

- ☎ +91-(0)-7104 669 000
- ☎ +91-(0)-7104 669 007/8
- ✉ info@pixtrans.com
- 🌐 www.pixtrans.com

Overseas Offices



PIX Germany GmbH

Karl-Schurz-Str. 35
33100 Paderborn, Germany

- ☎ +49 (0) 5251-2844 070
- ☎ +49 (0) 5251-2844 099
- ✉ info@pixgermany.com
- 🌐 www.pixgermany.de



PIX Transmissions (Europe) Ltd.

12, Sterling Complex, Farthing
Road, Ipswich, Suffolk IP1 5AP
United Kingdom

- ☎ +44 (0) 1473-743 511
- ☎ +44 (0) 1473-742 227
- ✉ info@pixtranseu.com
- 🌐 www.pixtranseu.com



PIX Middle East Trading LLC

P. O. Box: 238085
Near UAE Exchange
Al Quasis Ind-2
Dubai, U.A.E.

- ☎ +971-4-2345 100
- ☎ +971-4-2345 101
- ✉ info@pixme.ae
- 🌐 www.pixme.ae